

Processing of Diffusion-Tensor Magnetic Resonance Images

Akram Aldroubi
Vanderbilt University


IMA January 2005

Collaborators:

- Peter Basser, Sinisa Pajevic, Carlo Pierpaoli (NIH)
- Adam Anderson, Zhaohua Ding, John Gore, Yonggang Lu (Vanderbilt University Institute of Imaging Science)

Problem

What is DTMRI?



$$\rho(\mathbf{r}|\tau_d) = \frac{1}{\sqrt{\|\mathbf{D}\|}(4\pi\tau_d)} \exp\left(\frac{-\mathbf{rDr}}{4\tau_d}\right) \quad (1)$$

Goal

Elucidate, non-invasively, the 3-D architectural structure of tissues, organs and organized matter: e.g., find fiber tracks

Goal

Elucidate, non-invasively, the 3-D architectural structure of tissues, organs and organized matter: e.g., find fiber tracks

Examples

- White matter fiber tracks
- Heart muscle fiber structure

Goal

Elucidate, non-invasively, the 3-D architectural structure of tissues, organs and organized matter: e.g., find fiber tracks

Examples

- White matter fiber tracks
- Heart muscle fiber structure

Applications

- Mapping connectivity between tissues and organs
- Monitoring structural changes in development, aging and disease


Problem

Tracktography: Find fiber track from DT data

$$\frac{d\mathbf{r}}{ds} = \epsilon_1(\mathbf{r}), \quad \mathbf{r}(0) = \mathbf{r}_0$$

where $\epsilon_1(\mathbf{r})$ is the largest eigenvector of diffusion tensor field $\mathbf{D}(\mathbf{r})$.

Space-curve representation of a fiber tract, $\mathbf{r}(s)$



Difficulties

- Data known only on discrete sets (sampled data)

Difficulties

- Data known only on discrete sets (sampled data)
- Complex data (non-negative definite matrices, and vectors)

Difficulties

- Data known only on discrete sets (sampled data)
- Complex data (non-negative definite matrices, and vectors)
- Measurements are averaged (Partial Volume Effects PVA)

Difficulties

- Data known only on discrete sets (sampled data)
- Complex data (non-negative definite matrices, and vectors)
- Measurements are averaged (Partial Volume Effects PVA)
- Noise

Difficulties

- Data known only on discrete sets (sampled data)
- Complex data (non-negative definite matrices, and vectors)
- Measurements are averaged (Partial Volume Effects PVA)
- Noise
- High dimensionality of data (10^7 values: high computational complexity)
- ...

Tools

Tools

- Denoising (linear, nonlinear, spatially adaptive)

Tools

- Denoising (linear, nonlinear, spatially adaptive)
- Interpolation (spacially adaptive, non-negative definite preserving +...)

Tools

- Denoising (linear, nonlinear, spatially adaptive)
- Interpolation (spacially adaptive, non-negative definite preserving +...)
- Numerical DE solver (fast, accurate)

Shift Invariant Space Models

$$V_{\Delta}(\mathbf{B}) = \left\{ \mathbf{D}(\mathbf{x}) = \sum_{j \in \Lambda} \sum_{\mathbf{k} \in \mathbb{Z}^n} c^j(\mathbf{k}) \mathbf{B}^j \left(\frac{\mathbf{x}}{\Delta} - \mathbf{k} \right) : c^j \in \ell^2(\mathbb{Z}^n) \right\}, \quad (2)$$

where $\{\mathbf{B}^j : j \in \Lambda\}$ form a generator for the space V_{Δ} .

Shift Invariant Space Models

$$V_{\Delta}(\mathbf{B}) = \left\{ \mathbf{D}(\mathbf{x}) = \sum_{j \in \Lambda} \sum_{\mathbf{k} \in \mathbb{Z}^n} c^j(\mathbf{k}) \mathbf{B}^j \left(\frac{\mathbf{x}}{\Delta} - \mathbf{k} \right) : c^j \in \ell^2(\mathbb{Z}^n) \right\}, \quad (2)$$

where $\{\mathbf{B}^j : j \in \Lambda\}$ form a generator for the space V_{Δ} .

- Discrete tensor data $\{\mathbf{D}(k) : k \in \mathbb{Z}^3\}$ can be approximated with fast filtering algorithms by a member in $\mathbf{D}_{\Delta} \in V_{\Delta}$ defined on all \mathbb{R}^3 , where noise is controlled by size Δ .

Shift Invariant Space Models


$$V_{\Delta}(\mathbf{B}) = \left\{ \mathbf{D}(\mathbf{x}) = \sum_{j \in \Lambda} \sum_{\mathbf{k} \in \mathbb{Z}^n} c^j(\mathbf{k}) \mathbf{B}^j \left(\frac{\mathbf{x}}{\Delta} - \mathbf{k} \right) : c^j \in \ell^2(\mathbb{Z}^n) \right\}, \quad (2)$$

where $\{\mathbf{B}^j : j \in \Lambda\}$ form a generator for the space V_{Δ} .


- Discrete tensor data $\{\mathbf{D}(k) : k \in \mathbb{Z}^3\}$ can be approximated with fast filtering algorithms by a member in $\mathbf{D}_{\Delta} \in V_{\Delta}$ defined on all \mathbb{R}^3 , where noise is controlled by size Δ .
- Use Euler method for integration.

Example 1

Fiber tracking from ROI in Corpus Callosum



a)




b)


Example 2

Projection Pathways in Internal Capsule

Surface shading




Fiber tract density



Example 3

Corpus Callosum



Bayesian Approach

Euler tracking method

$$\mathbf{r}_{i+1} = \mathbf{r}_i + \alpha \epsilon_i$$

where α is integration step size and ϵ_i is direction vector to be estimated. Let $\mathbf{d} = (\mathbf{D}_{11}\mathbf{D}_{22}\mathbf{D}_{33}\mathbf{D}_{12}D_{13}D_{23})^t$ and let $\bar{\mathbf{d}}$ be the true element tensor vector


$$p(\mathbf{d}|\bar{\mathbf{d}}) = \frac{1}{(2\psi)^3 |\Sigma|^{1/2}} \exp \left[-\frac{1}{2} (\mathbf{d} - \bar{\mathbf{d}})^t \Sigma^{-1} (\mathbf{d} - \bar{\mathbf{d}}) \right]$$

$$p(\bar{\mathbf{d}}) = \frac{1}{(2\psi)^3 |\mathbf{S}|^{1/2}} \exp \left[-\frac{1}{2} (\bar{\mathbf{d}} - \mathbf{m})^t \mathbf{S}^{-1} (\bar{\mathbf{d}} - \mathbf{m}) \right]$$

Maximize


$$p(\bar{\mathbf{d}}|\mathbf{d}) = \frac{p(\mathbf{d}|\bar{\mathbf{d}})p(\bar{\mathbf{d}})}{p(\mathbf{d})}$$

Example 4



(a,b) axial views and (c,d) sagittal views. SNR 30 (a,c) and 20 (b,d).
Blue= Bayesian, Red= Euler, Green=TEND.

Example 5



Other methods and remaining challenges

Methods

- Deterministic, i.e. 1-point at most 1 path between two points, e.g. Aldroubi and Basser 1998; Mori et al. 1999; Basser et al. 2000; Poupon et al. 2000; Gossl et al. 2002; Parker et al. 2002; Tench et al. 2002; Zhukov et al. 2002, Stampfli et al. 2005, Lazar et al. 2003;

Other methods and remaining challenges

Methods

- Deterministic, i.e. 1-point at most 1 path between two points, e.g. Aldroubi and Basser 1998; Mori et al. 1999; Basser et al. 2000; Poupon et al. 2000; Gossl et al. 2002; Parker et al. 2002; Tench et al. 2002; Zhukov et al. 2002, Stampfli et al. 2005, Lazar et al. 2003;
- Probabilistic, e.g. Hagmann et al. 2003, Koch et al. 2002, Parker et al. 2003,...

Challenges

Challenges

- Regularization methods in manifold of non-negative definite matrices

Challenges


- Regularization methods in manifold of non-negative definite matrices
- Nonlinear, adaptive edge preserving filtering

Challenges

- Regularization methods in manifold of non-negative definite matrices
- Nonlinear, adaptive edge preserving filtering

- Nonlinear adaptive interpolation for edge preservation

- Nonlinear adaptive interpolation for edge preservation
- Methods to deal with PVA, brakes in fibers, crossing or kissing of fibers, and other singular features.



END